MAR-28.2002 3:40PM

NO. 655; P. 2

6/A 4-2-02 D. Bell

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

DANIEL J. DEUTSCH, ET AL.

Serial No.

09/758,458

Examiner: Laura K. Tso

Filing Date:

January 9, 2001

Art Unit: 2875

For: Light for Vehicle Wheels

)

AMENDMENT AND RESPONSE TO OFFICE ACTION

Honorable Commissioner of Patents and Trademarks
Washington, D.C. 20231

FAX COPY RECEIVED

MAR 28 2002

TECHNOLOGY CENTER 2800

In response to the Office Action mailed on February 13, 2002, please amend the above application as follows and enter the Applicants' response set forth below. None of the amendments made add new matter and all are fully supported in the application as filed.

In the Specification:

a Sir:

Please make the following amendments where indicated. No new matter is added and only incorrect reference numbers have been changed.



In re Patent Application of

Daniel J. Deutsch, et al. No. 09/756,458

Serial No. Filed

January 9, 2001

On page 4, please delete the sentence beginning at line 5 and ending mid-way through line7, and substitute the following sentence:

pl

FIGS. 1 through 7 illustrate the present invention, a motion activated wheel light 10 for a vehicle wheel 30 having an air valve stem.

On page 4, please delete the sentence beginning on line 13 and ending on line 15, and substitute the following sentence:

Ad

The housing 12 serves to connect the wheel light 10 to the air valve stem of a vehicle wheel 30, as shown in FIG. 7.

On page 4, please delete the sentence beginning on line 22 and ending on line 28, and -

substitute the following sentence

A3

M

O

A motion activated switch 18 is connected to the power source 14 and to the light source 16 through the electrical circuit so as to close the circuit and energize the light source 16 responsive to movement of the wheel 30, the movement being preferably rotational motion when the vehicle is moving.

On page 4, please delete the sentence beginning on line 29 and ending on line 32, and substitute the following sentence:

Py (

The skilled artisan will know that vehicle wheels 30, particularly in modern vehicles having tubeless pneumatic tires, comprise air valves wherein the valve stem is connected directly to the wheel rim.

On page 5, please delete the sentence beginning on line 14 and ending on line 18, and substitute the following sentence:

2

16

Serial No.

09/756,458

Filed

January 9, 2001

ps

As shown in FIGS. 3-5 and 7, the housing 12 preferably has threads 15 complementary to those found on a standard air valve stem and connects the wheel light 10 to the wheel 30 by screwing onto the valve stem.

On page 5, please delete the sentence beginning on line 26 and ending on line 29, and substitute the following sentence:

N_C

I

M

For example, the light source 16 itself may comprise a shape which lights up as the wheel 30 is rotating to form the visually perceptible light image, or design.

On page 5, please delete the sentence beginning on line 31 and ending on line 34, and substitute the following sentence:

P

The light source 16 itself may emit colored light, or the housing 12 may comprise material having one or more colors to thereby produce a visually perceptible image in color as the wheel 30 rotates.

On page 7, please delete the paragraph beginning on line 9 and ending page 8, line 2, and substitute the following paragraph (only FIG. references and reference numbers have been changed):

In another embodiment of the wheel light 10', as shown in

pe

FIGS. 4-7, the wheel light includes a motion sensitive switch 18' connected to the power source 14 and to the light source 16 to thereby control power flow energizing the light source 16. As illustrated in FIG. 7, the switch 18' is motion activated, and more specifically, is responsive to a centrifugal force generated when



Serial No.

09/756,458

Filed

January 9, 2001

A TONA

the vehicle wheel 30 is moving in a rotational motion. Those skilled in the art will know how to construct a mechanism as shown in FIGS. 4 and 6, comprising a biasing member, preferably a spring, calibrated to respond to an applied force so as to close an electrical contact and energize the light source 16. An embodiment of the switch 18' shown in FIGS. 4 and 6 includes a first biasing member 20, a second biasing member 22, a switch contact 24', and a circuit board 26 having an integrated circuit 28. When the wheel light 10' is connected to an air valve stem, the applied force will be a centrifugal force generated when the wheel 30 rotates. This force will act on the wheel light 10' in a downward direction, the lower end of the wheel light being at that end of the housing 12' comprising the connector for the air valve stem, preferably threads 15 as shown in FIG. 7. The force moves the power source 14 toward the lower end of the housing, thereby also moving the biasing member to touch switch contact 24' to thereby close the electrical circuit and energize the light source.

In the Claims: /

Please substitute the following amended Claims as set forth below. An attachment hereto is captioned "VERSION WITH MARKINGS TO SHOW AMENDMENTS MADE" and includes a marked-up version of the amended specification and claims, showing the changes made by the current amendment.





Serial No.

09/756,458

Filed

Ú

Ü

Ø

January 9, 2001

1. A motion activated light for a vehicle wheel having an air valve stem, said light comprising:

a connector complementary to the air valve stem for connecting said light thereto;

a power source connected in an electrical circuit;

a light source connected to said power source through the electrical circuit; and

a switch connected to the electrical circuit, said switch responsive to movement

of the wheel to thereby energize the light source.

18. A motion activated light for a vehicle wheel having an air valve with a threaded stem, said light comprising:

a housing having threads complementary to the threaded stem for connecting said light to the air valve stem;

a power source connected to an electrical circuit;

a light emitting diode connected to the electrical circuit; and

a switch connected to close the electrical circuit responsive to movement of the wheel so as to energize the light emitting diode.

16. A lighted wheel for a vehicle, comprising:

a pneumatic tire comprising an air valve having a stem; and

a motion activated light connected to the air valve stem;

wherein the motion activated light comprises an electrical circuit having a power source, a light source, and a switch sensitive to motion of the wheel and connected to close the circuit to thereby energize the light source responsive to motion of the wheel.

19

A

Serial No.

09/756,458

Filed

January 9, 2001

n la

24. A method of lighting a vehicle wheel having an air valve stem, the method comprising: connecting a light source to the air valve stem of the wheel, said light source activated by sufficient wheel motion; and

emitting light by causing the wheel to move sufficiently to activate the light source.

PIS

and han all the the

M

4

28. A method of forming a visually perceptible light image adjacent a rotating wheel on a moving vehicle, the wheel having an air valve stem, comprising:

connecting a light to the air valve stem of the wheel, the light capable of being activated by sufficient wheel rotation and comprising a predetermined shape for forming the light image; and

causing the vehicle to move so as to impart sufficient rotation to the wheel to activate the light source to emit light, thereby forming the visually perceptible light image.

REMARKS

Applicants greatly appreciate the Examiner's initial determination that Claims 14, 15, 22 and 23 include allowable matter. These remarks are offered in support of the patentability of the remaining claims in view of the cited art to Duke (US 6,070,997), and also address the remaining concerns expressed by the Examiner.

The Specification Has Been Corrected, and Avoids Drawing Corrections

Applicants have checked the specification for grammatical, idiomatic, and spelling and other minor errors, as suggested by the Examiner. The "spell check" and "grammatical check"

6





Serial No. 09/756,458

Filed

۲b

January 9, 2001

functions of undersigned counsel's standard word-processing software have been employed, and counsel has reviewed the document to check the specification, however, counsel believes that the specification is correct in its spelling and use of language as originally filed.

Counsel appreciates the Examiner's detection of some confusing misnumbering in the specification and drawings between the IC and the wheel. The correct reference number for the IC is 28, and for the wheel 30. These corrections have been made in the specification, as noted in the attachment captioned VERSION WITH MARKINGS TO SHOW AMENDMENTS MADE.

The specification has also been corrected to reflect several reference numbers having prime notation as indicative of an alternate embodiment shown in FIGS. 4-7. Accordingly, the drawings require no further correction, as all reference numbers shown therein now correctly match the written specification. Undersigned counsel apologizes for any confusion, and appreciates the Examiner's careful review of the application in that regard.

The Claims Are Novel Over The Cited Reference

The description of the present invention, as originally filed, clearly indicate that the Applicants' light for vehicle wheels includes a switch which activates a light source in response to motion of the wheel. In this regard, Applicants have made minor clarifying amendments in the independent claims so that it is clear that the motion to which the switch is responsive is indeed wheel motion.

Applicants respectfully point out that the Duke reference teaches a wheel light which is turned on and off, not by wheel motion, but manually by the user rotating the housing and sleeve assembly around the longitudinal central axis of the device. Specifically, please see Duke at column 3, lines 10-29. This limitation of the Duke device is also reflected in all its

In re Patent Application of **Daniel J. Deutsch, et al.**Serial No. 09/756,458

Filed

January 9, 2001

independent claims, for example: in Claim 1 at column 4, lines 17-24; in Claim 12 at column 5, lines 50-61; and in Claim 16 at column 7, line 15, through column 8, line 9. It is apparent from Duke's description and claim recitations that the rotation required to turn the light on and off cannot be provided by motion of the wheel, but must be accomplished manually.

Accordingly, Duke does not describe, or even suggest a switch which is activated by the wheel motion. Duke, therefore, cannot anticipate or make obvious the present invention.

Conclusion

Ç

In view of the clarifying amendments and the remarks presented herein, Applicants respectfully submit that these claims are patentable. In addition, their respective dependent claims, which recite yet further distinguishing features, are also patentable and require no further discussion. The application should, therefore, be in condition for allowance and such action is respectfully requested as soon as possible due to actual copying of the device by an infringer.

Serial No.

09/756,458

Filed

January 9, 2001

If the further prosecution can be facilitated through a telephone conference between the Examiner and the undersigned, the Examiner is respectfully requested to telephone the undersigned at his convenience.

Respectfully submitted,

FAX COPY RECEIVED

MAR 28 2002

TECHNOLOGY CENTER 2800

Enrique G. Estévez

Reg. No. 37,823

Allen, Dyer, Doppelt, Milbrath & Gilchrist, P.A.

255 S. Orange Ave., Suite 1401

P. O. Box 3791

Orlando, Florida 32802

(407) 841-2330

Certificate of Filing by Facsimile Telecopier

hereby certify that this correspondence, addressed to Commissioner of Patents and Trademarks, Washington, D.C. 20231 is being filed with the United States Patent and Trademark Office by facsimile telecopier transmittal to Group Art Unit 2875, as an Official Amendment at (703) 308-7722, on March 28, 2002.

A

Serial No.

09/756,458

Filed

(T

Ò

January 9, 2001

VERSION WITH MARKINGS TO SHOW AMENDMENTS MADE

In the Specification

On page 4, please delete the sentence beginning at line 5 and ending mid-way through line7, and substitute the following sentence:

FIGS. 1 through 7 illustrate the present invention, a motion activated wheel light 10 for a vehicle wheel [28] 30 having an air valve stem.

On page 4, please delete the sentence beginning on line 13 and ending on line 15, and substitute the following sentence:

The housing 12 serves to connect the wheel light 10 to the air valve stem of a vehicle wheel [28] 30, as shown in FIG. 7.

On page 4, please delete the sentence beginning on line 22 and ending on line 28, and substitute the following sentence:

A motion activated switch 18 is connected to the power source 14 and to the light source 16 through the electrical circuit so as to close the circuit and energize the light source 16 responsive to movement of the wheel [28] 30, the movement being preferably rotational motion when the vehicle is moving.

On page 4, please delete the sentence beginning on line 29 and ending on line 32, and substitute the following sentence:

The skilled artisan will know that vehicle wheels [28] 30, particularly in modern vehicles having tubeless pneumatic tires,

Serial No.

09/756,458

Filed

M

January 9, 2001

comprise air valves wherein the valve stem is connected directly to the wheel rim.

On page 5, please delete the sentence beginning on line 14 and ending on line 18, and substitute the following sentence:

As shown in FIGS. 3-5 and 7, the housing 12 preferably has threads 15 complementary to those found on a standard air valve stem and connects the wheel light 10 to the wheel [28] 30 by screwing onto the valve stem.

screwing onto the valve stem.

On page 5, please delete the sentence beginning on line 26 and ending on line 29, and is ubstitute the following sentence:

For example, the light source 16 itself may comprise a shape which lights up as the wheel [28] 30 is rotating to form the visually perceptible light image, or design.

On page 5, please delete the sentence beginning on line 31 and ending on line 34, and substitute the following sentence:

The light source 16 itself may emit colored light, or the housing 12 may comprise material having one or more colors to thereby produce a visually perceptible image in color as the wheel [28] 30 rotates.

On page 7, please delete the paragraph beginning on line 9 and ending page 8, line 2, and substitute the following paragraph (only FIG. references and reference numbers have been changed):

In re Patent Application of Daniel J. Deutsch, et al. Serial No. 09/756,458

Serial No. Filed

January 9, 2001

In another embodiment of the wheel light [10] 10'; as shown in [FIG. 6] FIGS. 4-7, the wheel light includes a motion sensitive switch [18] 18' connected to the power source 14 and to the light source 16 to thereby control power flow energizing the light source 16. As illustrated in FIG. 7, the switch [18] 18' is motion activated, and more specifically, is responsive to a centrifugal force generated when the vehicle wheel [28] 30 is moving in a rotational motion. Those skilled in the art will know how to construct a mechanism as shown in FIGS. 4 and 6, comprising a biasing member, preferably a spring, calibrated to respond to an applied force so as to close an electrical contact and energize the light source 16. An embodiment of the switch [18] 18' shown in FIGS. 4 and 6 includes a first biasing member 20, a second biasing member 22, a switch contact [24] 24', and a circuit board 26 having an integrated circuit 28. When the wheel light [10] 10' is connected to an air valve stem, the applied force will be a centrifugal force generated when the wheel 30 rotates. This force will act on the wheel light [10] 10' in a downward direction, the lower end of the wheel light being at that end of the housing [12] 12' comprising the connector for the air valve stem, preferably threads 15 as shown in FIG, 7. The force moves the power source 14 toward the lower end of the housing, thereby also moving the biasing member to touch switch contact

In re Patent Application of Daniel J. Deutsch, et al. Serial No. 09/756,458

Filed

January 9, 2001

[24] 24' to thereby close the electrical circuit and energize the light source.

In the Claims

U

O

- 1.(amended) A motion activated light for a vehicle wheel having an air valve stem, said light comprising:
 - a connector complementary to the air valve stem for connecting said light thereto:
 - a power source connected in an electrical circuit:
 - a light source connected to said power source through the electrical circuit; and
 - a [motion sensitive] switch connected to the electrical circuit, said switch responsive to movement of the wheel [so as] to thereby energize the light source [responsive to movement of the wheel].
- (3. (amended) A motion activated light for a vehicle wheel having an air valve with a threaded stem, said light comprising:
 - a housing having threads complementary to the threaded stem for connecting said light to the air valve stem;
 - a power source connected to an electrical circuit;
 - a light emitting diode connected to the electrical circuit; and
 - a [motion sensitive] switch connected to close the electrical circuit responsive to movement of the wheel so as to energize the light emitting diode.

Serial No.

09/756,458

Filed

January 9, 2001

16.(amended) A lighted wheel for a vehicle, comprising:

a pneumatic tire comprising an air valve having a stem; and a motion activated light connected to the air valve stem;

wherein the motion activated light comprises an electrical circuit having a power source, a light source, and a [motion sensitive] switch <u>sensitive to motion of the wheel</u> and connected to close the circuit to thereby energize the light source responsive to motion of the wheel.

24.(amended)

A method of lighting a vehicle wheel having an air valve stem, the method

comprising:

connecting a [motion activated] light source to the air valve stem of the wheel, said light source activated by sufficient wheel motion; and

emitting light by causing the wheel to move sufficiently to activate the light source.

28.(amended) A method of forming a visually perceptible light image adjacent a rotating wheel on a moving vehicle, the wheel having an air valve stem, comprising:

connecting a [motion activated] light to the air valve stem of the wheel, the light capable of being activated by sufficient wheel rotation and comprising a predetermined shape for forming the light image; and

causing the vehicle to move so as to impart sufficient rotation to the wheel to activate the light source to emit light, thereby forming the visually perceptible light image.

NO. 655

Please type a plus sign (+) inside this box 🔫 +	٠
---	---

PTO/88/21 (08-00)
Approval for use through 19/31/2002. OMB 0851-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.								
			Application Number		09/756,458			
TRANSMITTAL				Filing Date		Jan 9, 2001		
FORM			First Named Inventor		Deutsch, Daniel J.			
			Group Art Unit		2875			
(to be used for all conespondence after initial filing)			Examiner Name		Laura K. Tso			
Total Number of Pages in This Submission			noissimut	Attorney Docket Number		22936		
ENCLOSURES (check all that apply)								
	Fee Transmi	ttal Form	Assignment (for an App	nt Papers		After Allowance Communication to Group		
	Fee Attached		5 sheets o	of substitute drawings in w/CFR 1.84.		Appeal Communication to Board of Appeals and Interferences		
X	Amendment / Reply to Office Action Dated February 13, 2002 Licensing-relat			related Papers		Appeal Communication to Group (Appeal Notice, Brief, Reply Brief)		
Jazzaří ,	After Final Petition		Petition			Proprietary Information		
	Affidavits/declaration(s) Petitic			Convert to a Application		Status Letter		
	Extension of Time Request Pow			r of Attorney, Revocation ge of Correspondence Address		Other Enclosure(s) (please identify below):		
	Express Abandonment Request Terminal		Terminal D	disclaimer ,				
			Request fo	r Refund				
	Certified Copy of Priority Document(s) CD, Num			er of CD(s)	,	FAX COPY RECEIVED		
山	Response to Missing Parts/ Incomplete Application			, ,		MAR 2 8 2002		
Response to Missing Parts under 37 CFR 1.52 or 1.53				TECHNOLOGY CENTER 2800		į		
RICHATURE OF ARRUSANY ATTORNEY OR ACENT								
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT Firm or Allen, Dyer, Doppelt, Milbrath/& Gilchrist, P.A.								
Individual name								
Signature Enrique G, Estévez, Reg. No. 37,82								
Date	Date MARCH 28,2002							
CERTIFICATE OF FILING BY FACSIMILE								
I hereby certify that this correspondence is being transmitted via facsimile to: Group Art Unit 2875, 703-308-7722, and is therefore filed with the Commissioner for Patents, Washington, D.C. 20231 on this date:								
Typed or printed name Jill Dill								
Types of printed from the same of the same								

Signature

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S., Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents Washington, DC 20231.

